


通風過濾網創新技術結晶

Result of High Technology-Ventilator Filter Unit

小型通風過濾網組 Small Size Ventilator Filter Unit


FU-9803A
FU-9803C-1(2)



FU-9803A





FU-9803C




FU-9803C

[按裝方法]
[INSTALLATION MENTHOD]



中型通風過濾網組 Middle Size Ventilator Filter Unit


FU-9804A
FU-9804C-1(2)



FU-9804A





FU-9804C



FU-9804C

[按裝方法]
[INSTALLATION MENTHOD]



自動化優生產品系列

Superior Automatic Product Line

大型通風過濾網組 Large Size Ventilator Filter Unit

FU-9805A
FU-9805C-1(2)



FU-9805A





FU-9805C



FU-9805C

[按裝方法]
[INSTALLATION MENTHOD]



開孔尺寸
PANEL OPENING SIZE

超大型通風過濾網組 Super Large Size Ventilator Filter Unit


FU-9806A
FU-9806C-1(2)



FU-9806A




FU-9806C



FU-9806C

[按裝方法]
[INSTALLATION MENTHOD]




開孔尺寸
PANEL OPENING SIZE

通風過濾網創新技術結晶


Result of High Technology-Ventilator Filter Unit

大型通風過濾網組 Large Size Ventilator Filter Unit


FU-9807A
FU-9807C-A(B)-1(2)




FU-9807A




FU-9807C-(A)



FU-9807C





FU-9807C-(B)



FU-9807C

[按裝方法]
[INSTALLATION METHOD]



開孔尺寸
PANEL OPENING SIZE

KAKU® 通風過濾網組規格

Specification of the Ventilator Filter Unit

品名 Name	型號 Model	外型尺寸 (露出部) Sizes(outside)	有效風量 Air flow	最大風速 Air speed	除塵率 Dust resistance rate	壓損範圍 Damage area	使用範圍 Usage area	材 質 Material	重量 Weight	防護等級 Protection class
通風過濾網組 Ventilator Filter Unit	FU-9807A	420mm × 180mm × 13.5mm	100.0M ³ /MIN	2.0M/SEC	86%	6.7-40 INCH-H ₂ O	屋內 -10℃~+55℃ indoors-10℃~+55℃	ABS樹脂 (難燃 耐紫外線特性) 94V-0,UL 防火級 ABS resin inflammable UV-resistance Fire protection classification	518g	IP44
通風過濾網風扇組 Cooling fan unit	FU-9807C(A)-1(2)	420mm × 180mm × 13.5mm	8.4M ³ /MIN	2.0M/SEC	86%	6.7-40 INCH-H ₂ O	屋內 -10℃~+55℃ indoors-10℃~+55℃	外框(鋁合金)&扇葉(工程塑膠 94V-0) frame(aluminum alloy)&fan leaf(construction plastic)	2180g	IP44
通風過濾網風扇組 Cooling fan unit	FU-9807C(B)-1(2)	420mm × 180mm × 13.5mm	11.6M ³ /MIN	2.0M/SEC	86%	6.7-40 INCH-H ₂ O	屋內 -10℃~+55℃ indoors-10℃~+55℃	外框(鋁合金)&扇葉(工程塑膠 94V-0) frame(aluminum alloy)&fan leaf(construction plastic)	2450g	IP44