

Tool sets

Tool sets	Introduction	H.2
	Tool cases	H.4
	Crimp Sets and accessories	H.5
	Assortment boxes and cases	H.11
	Inserts	H.12

Weidmüller offers a comprehensive range of accessories

Crimping sets

Workshops and companies prefer well-organised tool sets. This reduces searching and preparation times and thus saves hard cash. Weidmüller has recognised these important aspects and implements this in its product combinations. These product combinations stand out due to their high user benefit and functional features. Weidmüller crimping sets for cutting, stripping and crimping wire end ferrules provide you with practical works equipment for everyday use.

H





Tool cases

Pro Case Premium



Pro Case Insta



Assembly

Article description	Type	Qty.
Sheathing stripper for up to 25mm O.D.	AM 25	1
Cutter for up to 8 mm O.D.	KT 8	1
Stripping tool for up to 6 mm²	STRIPAX	1
Combined screwing/cutting tool	SWIFTY SET	1
Set of offset hexagon wrenches with ball point	SK WSD-S 1,5-10,0	1
Hexagon wrenches with ball point	SKS 2,0-8,0 MR	1
VDE insulated slotted Phillips screwdriver set	SDIS 2,5-5,5/PH1/2	1
6-piece slotted and PH crosshead screwdriver set	SDS 2,5-5,5/PH1/2	1
Crimping tools for wire end ferrules 0.14 to 6 mm²	PZ 6 Roto	1
Bit-Box, 9 pieces 1/4 E6.3	Bit-Box WI DMS 3	1
Wire end ferrule assortment, 0.5-2.5 mm², DIN	H-BOX 0,5-2,5QMM DIN	1
Stripping and cutting tool for data cables	AM 12	1
Insulated combination pliers, 180 mm long	KBZ 180	1
VDE insulated side-cutting pliers, 180 mm long	SE HD 180	1
Insulated round-nose pliers with long jaws	RZ 160	1
Insulated long-nose pliers with cutter, 160 mm long	FRZ S 160	1
Insulated wire stripper for wires up to 5 mm dia.	AIZ 160	1
Continuity tester with lamp	TESTBOY 20	1
Round cable stripper/Longitudinal cutter	STRIPPER ROUND TOP	1
Universal switchgear cabinet key	CROSS-KEY UNIVERSAL	1
Torque screwdriver, 0.5-1.7 Nm	DMS MANUAL 0.5-1.7	1
Caña intercamb. tornillos de cabeza ranurada tam. 0,5x3	WK S 0,5x3,0	1
Voltage tester up to 690 V/ 100 Hz LCD	DIGI-CHECK 3.2	1
Voltage tester up to 690 V/ 100 Hz LED	COMBI-CHECK 1.3	1
Case	Pro Case empty	1

Assembly

Article description	Type	Qty.
Sheathing stripper for up to 25mm O.D.	AM 25	1
Cutter for up to 8 mm O.D.	KT 8	1
Stripping tool for up to 6 mm²	STRIPAX	1
Set of offset hexagon wrenches with ball point	SK WSD-S 1,5-10,0	1
Hexagon wrenches with ball point	SKS 2,0-8,0 MR	1
VDE insulated slotted Phillips screwdriver set	SDIS 2,5-5,5/PH1/2	1
Crimping tools for wire end ferrules 0.14 to 6 mm²	PZ 6 Roto	1
Wire end ferrule assortment, 0.5-2.5 mm², DIN	H-BOX 0,5-2,5QMM DIN	1
Stripping and cutting tool for data cables	AM 12	1
Insulated long-nose pliers with cutter, 160 mm long	FRZ S 160	1
Insulated combination pliers, 180 mm long	KBZ 180	1
VDE insulated side-cutting pliers, 180 mm long	SE HD 180	1
Continuity tester with lamp	TESTBOY 20	1
Round cable stripper/Longitudinal cutter	STRIPPER ROUND TOP	1
ring spanner set	PACK HEXA 8-13 RED-L	1
Universal switchgear cabinet key	CROSS-KEY UNIVERSAL	1
Measuring tape	FLEXIMET 5 M	1
Voltage tester up to 690 V/ 100 Hz LED	COMBI-CHECK 1.3	1
Water pump pliers	AUTOGRIPPER 10 RED-L	1
Case	Pro Case empty	1

Technical data

length x width x height	48/40/17 cm
Weight	8500 g

Technical data

length x width x height	48/40/17 cm
Weight	7680 g

Ordering data

Type	Order No.
Toolbox Pro Case Premium	9202460000

Ordering data

Type	Order No.
Pro Case Insta	9203160000

Crimp-Set PZ 4



- Crimp Set for cutting, stripping and crimping of wire end ferrules up to 4.0 mm², consisting of:
- Assortment box PSC4-01 clear with insert A8 (4 pieces) and insert A7 (2 pieces)
 - Stripping tool stripax® for conductors with PVC Insulation from 0.08...6.0 mm²
 - Crimping tool PZ 4 for wire end ferrules from 0.5...4.0 mm²
 - Wire end ferrules with plastic collar

H 0.5...H 4.0

- Weidmüller colour code
- DIN colour code
- Other

Crimp-Set PZ 3



- Crimp Set for cutting, stripping and crimping of wire end ferrules up to 6.0 mm², consisting of:
- Assortment box PSC 01 clear with insert A8 (6 pieces) and insert A7 (1 piece)
 - Stripping tool stripax® for conductors with PVC Insulation from 0.08...6.0 mm²
 - Crimping tool PZ 3 for wire end ferrules from 0.5...6.0 mm²
 - Wire end ferrules with plastic collar

H 0.5...H 6.0

- Weidmüller colour code
- DIN colour code
- Other

Crimp-Set PZ 6 roto



- Crimp Set for cutting, stripping and crimping of wire end ferrules up to 6.0 mm², consisting of:
- Assortment box PSC 01 clear with insert A8 (6 pieces) and insert A7 (1 piece)
 - Stripping tool stripax® for conductors with PVC Insulation from 0.08...6.0 mm²
 - Crimping tool PZ 6 roto for wire end ferrules from 0.14...6.0 mm²
 - Wire end ferrules with plastic collar

H 0.5...H 6.0

- Weidmüller colour code
- DIN colour code
- Other

Assembly

Type of w.e.ferrule (cond. cross-sec./length)	Piece
H0.5/14	500
H0.75/14	500
H1.0/14	1000
H1.5/14	1000
H2.5/14	500
H4,0/17	250

Tools

STRIPAX	1
PZ 4	1

Technical specification

length x width x height	340/270/60 mm
Weight	1780 g

Ordering data

Colour code	Type	Order No.
Weidmüller	CRIMP-SET PZ 4	9025800000
DIN	CRIMP-SET PZ 4 D	9028630000
other	CRIMP-SET PZ 4 T	9028640000

Assembly

Type of w.e.ferrule (cond. cross-sec./length)	Piece
H0.5/14	500
H0.75/14	500
H1.0/14	500
H1.5/14	500
H2.5/14	500
H4,0/17	250
H6.0/20	250

Tools

STRIPAX	1
PZ 3	1

Technical specification

length x width x height	340/270/60 mm
Weight	1743 g

Ordering data

Colour code	Type	Order No.
Weidmüller	CRIMP-SET PZ 3	9028650000
DIN	CRIMP-SET PZ 3 D	9028660000
other	CRIMP-SET PZ 3 T	9028670000

Assembly

Type of w.e.ferrule (cond. cross-sec./length)	Piece
H0.5/14	500
H0.75/14	500
H1.0/14	500
H1.5/14	500
H2.5/14	500
H4,0/17	250
H6.0/20	250

Tools

STRIPAX	1
PZ 6 Roto	1

Technical specification

length x width x height	340/270/60 mm
Weight	1760 g

Ordering data

Colour code	Type	Order No.
Weidmüller	CRIMP-SET PZ 6 ROTO	9028680000
DIN	CRIMP-SET PZ 6 ROTO D	9028690000
other	CRIMP-SET PZ 6 ROTO T	9028700000

Crimp Sets and accessories

Crimp Set PZ 6 HEX



Crimp Set for cutting, stripping and crimping of wire end ferrules up to 6.0 mm², consisting of:

- Assortment box PSC 01 clear with insert A8 (6 pieces) and insert A7 (1 piece)
- Stripping tool stripax® for conductors with PVC Insulation from 0.08...6.0 mm²
- Crimping tool PZ 6 HEX for wire end ferrules from 0.14...6.0 mm²
- Wire end ferrules with plastic collar

H 0.5...H 6.0

- Weidmüller colour code
- DIN colour code
- Other

Crimp-Set PZ 6/5



Crimp Set for cutting, stripping and crimping of wire end ferrules up to 6.0 mm², consisting of:

- Assortment box PSC 01 clear with insert A8 (6 pieces) and insert A7 (1 piece)
- Stripping tool stripax® for conductors with PVC Insulation from 0.08...6.0 mm²
- Crimping tool PZ 6/5 for wire end ferrules from 0.25...6.0 mm²
- Wire end ferrules with plastic collar

H 0.5...H 6.0

- Weidmüller colour code
- DIN colour code
- Other

Crimp-Set stripax® plus



Crimp Set for cutting, stripping and crimping of wire end ferrules up to 2.5 mm², consisting of:

- Assortment box PSC 01 clear with foamed insert
- Combi tool stripax® plus for processing linked wire end ferrules on strip from 0.5...2.5 mm² from Weidmüller
- Wire end ferrules with plastic collar

H 0.5...H 2.5

- Weidmüller colour code
- DIN colour code
- Other

Assembly

Type of w.e.ferrule (cond. cross-sec./length)	Piece
H0.5/14	500
H0.75/14	500
H1.0/14	500
H1.5/14	500
H2.5/14	500
H4.0/17	250
H6.0/20	250

Tools

PZ 6 HEX	1
STRIPAX	1

Technical specification

length x width x height	340/270/60 mm
Weight	1695 g

Ordering data

Colour code	Type	Order No.
Weidmüller	CRIMP-SET PZ 6 HEX	9028710000
DIN	CRIMP-SET PZ 6 HEX D	9028720000
other	CRIMP-SET PZ 6 HEX T	9028730000

Assembly

Type of w.e.ferrule (cond. cross-sec./length)	Piece
H0.5/14	500
H0.75/14	500
H1.0/14	500
H1.5/14	500
H2.5/14	500
H4.0/17	250
H6.0/20	250

Tools

STRIPAX	1
PZ 6/5	1

Technical specification

length x width x height	340/270/60 mm
Weight	1761 g

Ordering data

Colour code	Type	Order No.
Weidmüller	CRIMP-SET PZ 6/5	9028740000
DIN	CRIMP-SET PZ 6/5 D	9028750000
other	CRIMP-SET PZ 6/5 T	9028760000

Assembly

Type of w.e.ferrule (cond. cross-sec./length)	Piece
H0.5/14 BD	500
H0.75/14 BD	500
H1.0/14 BD	500
H1.5/14 BD	500
H2.5/14 BD	500

Tools

STRIPAX PLUS 2.5	1
------------------	---

Technical specification

length x width x height	340/270/60 mm
Weight	1110 g

Ordering data

Colour code	Type	Order No.
Weidmüller	CRIMP-SET STRIPAX PLUS	9028770000
DIN	CRIMP-SET STRIPAX PLUS D	9028780000
other	CRIMP-SET STRIPAX PLUS T	9028790000

Crimp-Set PZ 16



Crimp Set for cutting, stripping and crimping of wire end ferrules up to 16.0 mm², consisting of:

- Assortment box PSC 01 clear with insert A8 (4 pieces) and insert A7 (2 pieces)
- Stripping tool stripax® 16 for conductors with PVC Insulation from 6.0...16.0 mm²
- Crimping tool PZ 16 for wire end ferrules from 6.0...16.0 mm²
- Wire end ferrules with plastic collar

H 6.0...H 16.0

- Weidmüller colour code
- DIN colour code
- Other

Crimp-Set PZ ZH 16



Crimp Set for cutting, stripping and crimping of wire end ferrules up to 16.0 mm², consisting of:

- Assortment box PSC 01 clear with insert A7 (4 pieces)
- Stripping tool stripax® 16 for conductors with PVC Insulation from 6.0...16.0 mm²
- Crimping tool PZ ZH 16 for twin-wire end ferrules from 6.0...16.0 mm²
- Wire end ferrules with plastic collar

H 6.0...H 16.0

- Weidmüller colour code
- DIN colour code
- Other

Crimp-Set PZ 50



Crimp Set for cutting, stripping and crimping of wire end ferrules up to 50.0 mm², consisting of:

- Assortment box PSC 01 clear with insert A7 (4 pieces) and foamed insert for the tools
- Sheathing stripper AM 25 for PVC round cable from 4.5...25 mm²
- Crimping tool PZ 50 for wire end ferrules 25, 35 and 50.0 mm²
- Wire end ferrules with plastic collar

H 25...H 50.0

- Weidmüller colour code
- DIN colour code
- Other

Assembly

Type of w.e.ferrule (cond. cross-sec./length)	Piece
H6.0/20	200
H10.0/22	200
H16.0/28	200
H16.0/24	100

Tools

PZ 16	1
STRIPAX	1

Technical specification

length x width x height	340/270/60 mm
Weight	1725 g

Ordering data

Colour code	Type	Order No.
Weidmüller	CRIMP-SET PZ 16	9025850000
DIN	CRIMP-SET PZ 16 D	9028800000
other	CRIMP-SET PZ 16 T	9028810000

Assembly

Type of w.e.ferrule (cond. cross-sec./length)	Piece
H6.0/25	100
H6.0/29	100
H10.0/26	100
H16.0/29	50

Tools

STRIPAX 16	1
PZ ZH 16	1

Technical specification

length x width x height	340/270/60 mm
Weight	1812 g

Ordering data

Colour code	Type	Order No.
Weidmüller	CRIMP-SET PZ ZH 16	9028820000
DIN	CRIMP-SET PZ ZH 16 D	9028830000
other	CRIMP-SET PZ ZH 16 T	9028840000

Assembly

Type of w.e.ferrule (cond. cross-sec./length)	Piece
H25.0/30	50
H25.0/36	50
H35.0/30	50
H50.0/36	25

Tools

PZ 50	1
AM 25	1

Technical specification

length x width x height	340/270/60 mm
Weight	1800 g

Ordering data

Colour code	Type	Order No.
Weidmüller	CRIMP-SET PZ 50	9028850000
DIN	CRIMP-SET PZ 50 D	9028870000
other	CRIMP-SET PZ 50 T	9028880000

Crimp Sets and accessories

Crimp Set CTI 6



Assembly

Article description	Type	Qty.
Stripping tool for up to 6 mm²	STRIPAX	1
Herr. para prensar con. aislados 0,5-6 mm² (mango corto)	CTI 6 S	1
Insulated ring-type cable lugs 1.5 mm² / M4	LIR 1.5M4 V	100
Insulated ring-type cable lugs 1.5 mm² / M5	LIR 1.5M5 V	100
Insulated ring-type cable lugs 2.5 mm² / M5	LIR 2.5M5 V	100
Insulated ring-type cable lugs 2.5 mm² / M6	LIR 2.5M6 V	100
Insulated ring-type cable lugs 6.0 mm² / M5	LIR 6M5 V	100
Insulated ring-type cable lugs 6.0 mm² / M6	LIR 6M6 V	100
Insulated pin-type cable lugs 1.5 mm² L=12 mm	LIP 1.5R12 V	100
Insulated pin-type cable lugs 2.5 mm² L=12 mm	LIP 2.5R12 V	100
Insulated pin-type cable lugs 6.0 mm² L=14 mm	LIP 6.0R14 V	100
Insulated butt connectors 1.5 mm² L=24.5 mm	LIB 1.5B25 VF	100
Insulated butt connectors 2.5 mm² L=24.5 mm	LIB 2.5B25 VF	100
Insulated butt connectors 6.0 mm² L=26.0 mm	LIB 6.0B26 VF	100
Insulated fork-type cable lugs 1.5 mm² / M4	LIS 1.5M4 V	100
Insulated fork-type cable lugs 2.0 mm² / M5	LIS 2.5M5 V	100
Insulated fork-type cable lugs 6.0 mm² / M6	LIS 6.0M6 V	100
Insulated flat blade receptacle 1.5 mm² / 2.8x0.8	LIF 1.5F288 R	100
Insulated flat blade receptacle 1.5 mm² / 6.3x0.8	LIF 1.5F638 R	100
Insulated flat blade receptacle 2.5 mm² / 6.3x0.8	LIF 2.5F638 R	100
Insulated flat blade receptacle 6.0 mm² / 6.3x0.8	LIF 6.0F638 R	100

Technical data

length x width x height	410/410/75 mm
Weight	5 kg

Ordering data

Type	Order No.
Crimpset CTI 6	9202600000

Crimp Set PZ / CTI



Assembly

Article description	Type	Qty.
Stripping tool for up to 6 mm²	STRIPAX	1
Crimping tools for wire end ferrules 0.14 to 6 mm²	PZ 6 Roto	1
Herr. para prensar con. aislados 0,5-6 mm² (mango corto)	CTI 6 S	1
Wire end ferrule with plastic collar, white	H0,5/14D W	500
Wire end ferrule with plastic collar, red	H1,0/14D R	500
Wire end ferrule with plastic collar, blue	H2,5/14D BL	500
Wire end ferrule with plastic collar, grey	H4,0/17D GR	500
Wire end ferrule with plastic collar, yellow	H6,0/20D GE	100
Insulated ring-type cable lugs 1.5 mm² / M4	LIR 1.5M4 V	100
Insulated ring-type cable lugs 1.5 mm² / M5	LIR 1.5M5 V	100
Insulated pin-type cable lugs 1.5 mm² L=12 mm	LIP 1.5R12 V	100
Insulated ring-type cable lugs 2.5 mm² / M5	LIR 2.5M5 V	100
Insulated ring-type cable lugs 6.0 mm² / M6	LIR 6M6 V	100
Insulated pin-type cable lugs 2.5 mm² L=12 mm	LIP 2.5R12 V	100
Insulated pin-type cable lugs 6.0 mm² L=14 mm	LIP 6.0R14 V	100
Insulated butt connectors 1.5 mm² L=24.5 mm	LIB 1.5B25 VF	100
Insulated butt connectors 2.5 mm² L=24.5 mm	LIB 2.5B25 VF	100
Insulated butt connectors 6.0 mm² L=26.0 mm	LIB 6.0B26 VF	100
Insulated flat blade receptacle 1.5 mm² / 2.8x0.8	LIF 1.5F288 R	100
Insulated flat blade receptacle 1.5 mm² / 6.3x0.8	LIF 1.5F638 R	100
Insulated flat blade receptacle 2.5 mm² / 6.3x0.8	LIF 2.5F638 R	100
Insulated flat blade receptacle 6.0 mm² / 6.3x0.8	LIF 6.0F638 R	100

Technical data

length x width x height	410/410/70 mm
Weight	5 kg

Ordering data

Type	Order No.
Crimpset PZ / CTI	9202610000

Crimp Set



Assembly

Article description	Type	Qty.
Wire end ferrule with plastic collar, white	H0,5/14D W	500
Wire end ferrule with plastic collar, grey	H0,75/14D GR	500
Wire end ferrule with plastic collar, red	H1,0/14D R	500
Wire end ferrule with plastic collar, black	H1,5/14D SW	500
Wire end ferrule with plastic collar, blue	H2,5/14D BL	500
Wire end ferrule with plastic collar, grey	H4,0/17D GR	500
Wire end ferrule with plastic collar, yellow	H6,0/20D GE	100
Insulated ring-type cable lugs 1.5 mm² / M4	LIR 1.5M4 V	100
Insulated ring-type cable lugs 1.5 mm² / M5	LIR 1.5M5 V	100
Insulated ring-type cable lugs 2.5 mm² / M5	LIR 2.5M5 V	100
Insulated ring-type cable lugs 6.0 mm² / M6	LIR 6M6 V	100
Insulated pin-type cable lugs 1.5 mm² L=12 mm	LIP 1.5R12 V	100
Insulated pin-type cable lugs 2.5 mm² L=12 mm	LIP 2.5R12 V	100
Insulated pin-type cable lugs 6.0 mm² L=14 mm	LIP 6.0R14 V	100
Insulated butt connectors 1.5 mm² L=24.5 mm	LIB 1.5B25 VF	100
Insulated butt connectors 2.5 mm² L=24.5 mm	LIB 2.5B25 VF	100
Insulated butt connectors 6.0 mm² L=26.0 mm	LIB 6.0B26 VF	100
Insulated flat blade receptacle 1.5 mm² / 2.8x0.8	LIF 1.5F288 R	100
Insulated flat blade receptacle 1.5 mm² / 6.3x0.8	LIF 1.5F638 R	100
Insulated flat blade receptacle 2.5 mm² / 6.3x0.8	LIF 2.5F638 R	100
Insulated flat blade receptacle 6.0 mm² / 6.3x0.8	LIF 6.0F638 R	100

Technical data

length x width x height	320/400/55 mm
Weight	3635 g

Ordering data

Type	Order No.
Crimp-Set contacts	9202640000

Crimp Sets and accessories

Crimp-Set CombiCheck 1.3



Crimp-Set DigiCheck 5.2



Assembly

Article description	Type	Qty.
Stripping tool for up to 6 mm²	STRIPAX	1
Crimping tools for wire end ferrules 0.14 to 6 mm²	PZ 6 Roto	1
Voltage tester up to 690 V/ 100 Hz LED	COMBI-CHECK 1.3	1
Wire end ferrule with plastic collar, white	H0,5/14D W	500
Wire end ferrule with plastic collar, grey	H0,75/14D GR	500
Wire end ferrule with plastic collar, red	H1,0/14D R	500
Wire end ferrule with plastic collar, black	H1,5/14D SW	500
Wire end ferrule with plastic collar, blue	H2,5/14D BL	500
Wire end ferrule with plastic collar, grey	H4,0/17D GR	500
Wire end ferrule with plastic collar, yellow	H6,0/20D GE	100
Cable ties	CB 100/2.5 BLACK	100
Cable ties	CB 150/3.6 BLACK	100

Assembly

Article description	Type	Qty.
Stripping tool for up to 6 mm²	STRIPAX	1
Crimping tools for wire end ferrules 0.14 to 6 mm²	PZ 6 Roto	1
Voltage tester up to 690 V/ 2000 Hz LCD	DIGI-CHECK 5.2	1
Wire end ferrule with plastic collar, white	H0,5/14D W	500
Wire end ferrule with plastic collar, grey	H0,75/14D GR	500
Wire end ferrule with plastic collar, red	H1,0/14D R	500
Wire end ferrule with plastic collar, black	H1,5/14D SW	500
Wire end ferrule with plastic collar, blue	H2,5/14D BL	500
Wire end ferrule with plastic collar, grey	H4,0/17D GR	500
Wire end ferrule with plastic collar, yellow	H6,0/20D GE	100
Cable ties	CB 100/2.5 BLACK	100
Cable ties	CB 150/3.6 BLACK	100

Technical data

length x width x height	420/413/57 mm
Weight	2.5 kg

Technical data

length x width x height	415/413/57 mm
Weight	2.6 kg

Ordering data

Type	Colour code	Order No.
Crimpset CombiCheck 1.3	DIN	9202580000

Ordering data

Type	Colour code	Order No.
Crimpset Digi Check 5.2	DIN	9202590000

Assortment boxes and cases

- Body of case made from unbreakable polypropylene
- portable and uncluttered storage in minimum space
- with two robust sliding catches
- boxes and cases for assortments can be stood upright and can be stacked without risk of slipping
- can be subdivided with special inserts

PSC 4-01 – PSC 80 – CARRYLITE 55



Assortment case, empty



- Grids of U-sections in cover and base hold dividers in position and ensure sorted contents remain sorted!
- transparent polycarbonate cover
- **excellent shock resistance**
- with ergonomic carry handle

PSC 5-01

Assortment box, empty



Technical data

Product data	
Colour of body	
Colour of fittings	
Material of cover	
Weight	g

PSC4-01	PSC80 PC	CARRYLITE 55
anthracite	anthracite	anthracite
orange	orange	orange
Polycarbonate	Polycarbonate	Polycarbonate
580	840	1000

PSC5-01
anthracite
orange
Polypropylene
200

Dimensions	
Length	mm
Width	mm
Height	mm

261	241	330
338	338	413
57	79	57

195
241
56

Information

Information

Information

Ordering data

Version

Type	Qty.	Order No.
ASSORTMENT CASE PSC4-01	1	9028860000
CASE PSC80 PC	1	9202330000
ASSORTMENT CASE CARRY LITE 55	1	9202000000

Type	Qty.	Order No.
ASSORTMENT CASE PSC5-01 PP	1	9202010000

Information

Information

Information

Accessories

Information

Dividers on the following pages

Dividers on the following pages

Inserts

Inserts

Transparent, loose compartment dividers for individual interior layouts.

- resistant to oils, acids and alkalis
- made from unbreakable polypropylene

A7-1 – A9-1 – A9-2

Inserts for PSC 4-01, PSC 5-01, CARRYLITE 55





• Divider for fitting vertically

A8-1 – A8-2

Inserts for PSC 4-01, PSC 5-01, CARRYLITE 55



• Divider for fitting horizontally



Technical data

Product data	
Colour of body	
Colour of fittings	
Material of cover	
Weight	g

A7-1	A9-1	A9-2
natural	natural	natural

A8-1	A8-2
natural	natural

Dimensions	
Length	mm
Width	mm
Height	mm

109	55	109
79	39	39
47	47	47

79	177
55	55
47	47

Information	
-------------	--

Information		
-------------	--	--

Information	
-------------	--

Ordering data

Version

Type	Qty.	Order No.
INSERT A7-1 CL55	1	9028450000
INSERT A9-1 CL55	1	9202020000
INSERT A9-2 CL55	1	9203260000

Type	Qty.	Order No.
INSERT A8-1 CL55	1	9028460000
INSERT A8-2 CL55	1	9028420000

Accessories

Information

Information		
-------------	--	--

Information	
-------------	--

Inserts

Transparent, loose compartment dividers for individual interior layouts

- resistant to oils, acids and alkalis
- made from unbreakable polypropylene

BA7 – BA8

Inserts for PSC 80




BA8-1

- Divider for fitting horizontally

BA7-1

- Divider for fitting vertically



Technical data

Product data		BA7-1	BA8-1
Colour of body		natural	natural
Colour of fittings			
Material of cover			
Weight	g	40	25

Dimensions			
Length	mm	109	55
Width	mm	79	79
Height	mm	79	79

Information			

Ordering data

Version	Type	Qty.	Order No.
	INSERT BA7-PSC 80	1	9202320000
	INSERT BA8-PSC 80	1	9202310000

Information	

Accessories

Information	

